




Presentation Part Number: WM 222.132

2 x 300 mm swivelling Horizontal Medical Arm for monitor (Heavy Duty applications up to 18 Kg), Vertical Din rail mounting





2 x 300 mm swivelling Horizontal Medical Arm for monitor (Heavy Duty applications up to 18 Kg), Vertical Din rail mounting

The extension allows the swivel arm to go further into the room and closer to the patient or the intended work area. It can be folded against its mounting point for clean storage when not in use. Suitable for devices up to 18 kg. This 2 x 300 mm swivelling Horizontal Arm allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent for hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Mounting on Din rail Universal Vertical Clamp includes 10 x 25 mm
- * This medical arm simply attaches to the Din rail and then adjusts to the rail and clamps with the two clamps. It has no height adjustment.
- * The head of this arm complies with the standard mounting screens: VESA MIS-D 75 mm and 100 mm. Rotary head.
- * Compatible with screens weighing up to 18 Kg. Length 607 mm
- * Touch screen stability.
- * Screen tilt: 50° down and 100° up. Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° right, 105° left. * All our medical arms are CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC compliant.
- * Color RAL 5013 cobalt blue and RAL 9016 traffic white
- * Warranty: 5 years











Technical Specifications

2 x 300 mm swivelling Horizontal Medical Arm for monitor (Heavy Duty applications up to 18 Kg), Vertical Din rail mounting









Monitor adaptation: VESA 75/100 mm

Colour: Decorative parts: RAL 5013 cobalt blue Aluminium parts: RAL 9016 traffic white

Max. load capacity of the support arm: $18\ kg$ Monitor adaptation Max. load capacity: $18\ Kg$

Product weight: 3,1 Kg

Points forts du produit:

Non-height adjustable arm. The extended swivel arms and swivel arms provide full cable integration and easy cleaning for infection control in all ICU areas of the clinical environment. Our 5-year warranty guarantees reliable, trouble-free and maintenance-free operation. The swivel function at the attachment point as well as the tilt and swivel function of the monitor adapter provide optimal positioning of your device. The extended swing arm is a two-part arm with a central pivot point between the two sections of the arm. All bottom-mounted monitors have the safety function of a 20° tilt stop.









Mounting Information - Din Rail Horizontal

2 x 300 mm swivelling Horizontal Medical Arm for monitor (Heavy Duty applications up to 18 Kg), Vertical Din rail mounting

Din Rail Vertical:

Fixed standard rail clamp For mounting on horizontal standard rail $10 \times 25 \text{ mm}$













Mounting information - Mounting options

2 x 300 mm swivelling Horizontal Medical Arm for monitor (Heavy Duty applications up to 18 Kg), Vertical Din rail mounting

Where do you want to mount the support arm?

At the hospital, there are different ways to fix our brackets: round tube, standard rail, wall rail or on an anaesthesia machine. We will always provide you with the adapter you need.



Adapter for vertical wall slide
For wall slide mounting



Adapter for Amico remote controls and wall panels



Adapter for Mindray medical power supply units



standard rail
For mounting on two
parallel vertical standard
rails 10 x 25 mm

Double clamp for vertical



rail
For mounting on a horizontal standard rail 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm

Fixed clamp for a standard



tubeFor mounting on round tube ø 25, 35, 38 mm

Fixed clamp for round



Adapter for Maquet anaesthesia machines Cone Adapter for Model FLOW i



Adapter for Löwenstein anaesthesia machines Medical Adapter for Leon / Leon plus



Universal round tube clamp V-clamp for mounting on round tube ø 23 - 40 mm







Mounting information - Mounting options

2 x 300 mm swivelling Horizontal Medical Arm for monitor (Heavy Duty applications up to 18 Kg), Vertical Din rail mounting

Where do you want to mount the support arm?

At the hospital, there are different ways to fix our brackets: round tube, standard rail, wall rail or on an anaesthesia machine. We will always provide you with the adapter you need.



Adapter for anaesthesia machine (all suppliers) H 80 mm, with existing side rail



Clamp for a vertical standard rail For mounting on standard rail 10 x 25 mm



Considered to be the world's best in advanced hygiene control, our medical mounting systems include cable integration, a 5-year maintenance-free warranty and medical grade compliance. We're simply the best in the world at what we do.







Compatible accessories for this mount

2 x 300 mm swivelling Horizontal Medical Arm for monitor (Heavy Duty applications up to 18 Kg), Vertical Din rail mounting

Compatible accessories for this 2 x 300 mm Horizontal Arm

You can complete your installation with these additional accessories:



Triple hook for cableFor mounting on support arm



Double hook for cableFor mounting on support
arm



Downward pole with cable hook
For mounting on support arm



Double handle with VESA mounting
For VESA monitors



Handle for VESA monitor support
For VESA monitors



Double hook for cableFor wall or column rail
mounting



Triple hook for cableFor wall or column rail mounting



BasketFor wall or column rail mounting



Downward PoleFor mounting on support arm

