



Presentation Part Number: WM 225.210

Medical Combo arm Standard adjustable in height by 2 x 300 mm, Mounting on Mindray Medical Power Supply Device. Supported weight balancing range from 11 to 14 Kg





This 2 x 300 mm long height adjustable Combo Medical Arm allows to fix, orientate and adjust perfectly a screen, its keyboard support with dimensions of $500 \times 202 \text{ mm}$ delivered with this configuration allows to welcome a standard keyboard as well as a mouse. As an option, it can be equipped with a stand with a sliding right/left mouse tray with dimensions of $480 \times 220 \text{ mm}$ for the keyboard and $226 \times 220 \text{ mm}$ for the mouse, or with a large keyboard stand with dimensions of $580 \times 200 \text{ mm}$. It has a safety stop button for the height adjustment, which allows the arm to remain in the selected position.

Technical specifications:

- * Integrated cable management * Standard keyboard support 500 x 202 mm
- * This standard Combo Arm with height adjustment 2 x 300 mm long simply attaches to the Rail with the Mindray adapter and then adjusts and fixes.
- * The head of this arm complies with the VESA 75/100mm screen mounting standard
- * Compatible with equipment weighing up to 11 14 kg
- * Screen tilt: 10° * Arm rotation: 90° to the right, 90° to the left from the mounting point * Keyboard and screen support rotation: 100° to the right, 100° to the left.
- * Rotation of the central axis between the two arms 180°.
- * Total length of the configuration 1087 mm * Colour RAL 5013 cobalt blue and RAL 9016 traffic white * Warranty: 5 years










Technical specifications

Medical Combo arm Standard adjustable in height by 2 x 300 mm, Mounting on Mindray Medical Power Supply Device. Supported weight balancing range from 11 to 14 Kg









Monitor adaptation: VESA 75/100 mm Colour: Decorative parts: RAL 5013 cobalt blue Aluminium parts: RAL 9016 traffic white Balance scale of this medical arm: 11- 14 Kg

Product weight: 6,4 - 7,9 Kg (depending on the dimensions of the keyboard tray)

Height adjustment: Parallel mechanism for a constant viewing angle

Safety: Has a safety stop button for height adjustment, which allows the medical arm to

remain in the chosen position.













Mounting Information - Adapter Mount Mindray

Medical Combo arm Standard adjustable in height by 2 x 300 mm, Mounting on Mindray Medical Power Supply Device. Supported weight balancing range from 11 to 14 Kg

Mounting with Mindray Adapter:

For mounting on Mindray Medical Supply Unit, Adapter Included in this configuration







Product Highlights:

Height adjustable arms offer full cable integration and easy cleaning for infection control in all critical care areas of the clinical environment. Our 5-year warranty ensures reliable, trouble-free and maintenance-free operation. The swivel function at the point of attachment as well as the tilt and swivel function of the monitor adaptation offer optimal positioning of your device. The height-adjustable arm in its extended version is a two-part arm with a central pivot point between the two arm sections. All bottom mounted monitors have the safety feature of a 20° tilt stop.







Mounting Information - Mounting Options

Medical Combo arm Standard adjustable in height by 2 x 300 mm, Mounting on Mindray Medical Power Supply Device. Supported weight balancing range from 11 to 14 Kg

Where do you want to mount the support arm?

At the hospital, there are different ways to fix our brackets: round tube, standard rail, wall rail or on an anaesthesia machine. We will always provide you with the adapter you need.



Adapter for vertical wall slide For wall slide mounting



Adapter for Amico remote controls and wall panels



Adapter for Mindray medical power supply units





Fixed clamp for round tube For mounting on round

tube ø 25, 35, 38 mm



standard rail For mounting on two parallel vertical standard



rail For mounting on a horizontal standard rail 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm

Fixed clamp for a standard



Universal round tube clamp V-clamp for mounting on



Adapter for Löwenstein anaesthesia machines Medical Adapter for Leon / round tube ø 23 - 40 mm Leon plus



anaesthesia machines Cone Adapter for Model FLOW i





Mounting Information - Mounting Options

Medical Combo arm Standard adjustable in height by 2 x 300 mm, Mounting on Mindray Medical Power Supply Device. Supported weight balancing range from 11 to 14 Kg

Where do you want to mount the support arm?

At the hospital, there are different ways to fix our brackets: round tube, standard rail, wall rail or on an anaesthesia machine. We will always provide you with the adapter you need.



Adapter for anaesthesia machine (all suppliers) H 80 mm, with existing side rail



Clamp for a vertical standard rail For mounting on standard rail 10 x 25 mm





Considered to be the world's best in advanced hygiene control, our medical mounting systems include cable integration, a 5-year maintenance-free warranty and medical grade compliance. We're simply the best in the world at what we do.







Technical drawing of this Combo configuration

Medical Combo arm Standard adjustable in height by 2 x 300 mm, Mounting on Mindray Medical Power Supply Device. Supported weight balancing range from 11 to 14 Kg

