




Presentation Part Number: WM 226.172

Medical Combo arm Foldable and adjustable in height by 2 x 300 mm, wall mounting on vertical sliding rail. Supported weight of balance scale from 1,5 to 4,5 Kg







Technical specifications:

* Integrated cable management * Standard keyboard support 500 x 202 mm foldable 90°* Optional Vertical Wall Slide Rail attachment, of which several lengths are available (480 mm - 720 mm - 960 mm - 1200 mm). These wall rails can be easily cut to size. All cables are also routed through the wall rail. (See Option on the following pages) * This standard Combo Arm with height adjustment is 2 x 300 mm long and simply slides into the wall rail and then adjusts to the required height and is fixed * The head of this arm complies with the screen mounting standard: VESA 75/100 mm * Compatible with equipment weighing up to 1.5 - 4.5 kg.

* Tilting of the screen: 10° * Rotation of the arm: 90° to the right, 90° to the left from the fixing point * Rotation of the keyboard and screen support: 100° to the right, 100° to the left * Rotation of the central axis between the two arms 180°.

* Total length of the configuration 1207 mm * Colour RAL 5013 cobalt blue and RAL 9016 traffic white * Warranty: 5 years










Technical Specifications

Medical Combo arm Foldable and adjustable in height by 2×300 mm, wall mounting on vertical sliding rail. Supported weight of balance scale from 1,5 to 4,5 Kg









Monitor adaptation: VESA 75/100 mm


Colour: Decorative parts: RAL 5013 cobalt blue

Aluminium parts: RAL 9016 traffic white Balance scale of this medical arm: 1,5 - 4,5 Kg **Product weight:** 6,4 - 7,9 Kg (depending on the dimensions of the keyboard tray) **Height adjustment:** Parallel mechanism for a constant viewing angle Safety: Has a safety stop button for height adjustment, which allows the medical arm to remain in the chosen position.





2





info@ergonoflex.com






Mounting Information - Wall Slide Rail

Medical Combo arm Foldable and adjustable in height by 2×300 mm, wall mounting on vertical sliding rail. Supported weight of balance scale from 1,5 to 4,5 Kg


Wall Slide Rail:


To install this short pivot medical arm, you must either use an existing rail from your facility or order one of our slide rails. These are available in standard lengths of 480 mm, 720 mm, 960 mm and 1200 mm. Custom lengths are available on request. Slide covers and end caps supplied with each order.

















Mounting information - Mounting options

Medical Combo arm Foldable and adjustable in height by 2×300 mm, wall mounting on vertical sliding rail. Supported weight of balance scale from 1,5 to 4,5 Kg

Where do you want to mount the support arm?

At the hospital, there are different ways to fix our brackets: round tube, standard rail, wall rail or on an anaesthesia machine. We will always provide you with the adapter you need.



Adapter for vertical wall slide
For wall slide mounting



Adapter for Amico remote controls and wall panels



Adapter for Mindray medical power supply units



Double clamp for vertical standard rail For mounting on two parallel vertical standard rails 10 x 25 mm



rail
For mounting on a horizontal standard rail 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm

Fixed clamp for a standard



tubeFor mounting on round tube ø 25, 35, 38 mm

Fixed clamp for round



Adapter for Maquet anaesthesia machines Cone Adapter for Model FLOW i



Adapter for Löwenstein anaesthesia machines Medical Adapter for Leon / Leon plus



Universal round tube clamp V-clamp for mounting on round tube Ø 23 - 40 mm







Mounting information - Mounting options

Medical Combo arm Foldable and adjustable in height by 2×300 mm, wall mounting on vertical sliding rail. Supported weight of balance scale from 1,5 to 4,5 Kg

Where do you want to mount the support arm?


At the hospital, there are different ways to fix our brackets: round tube, standard rail, wall rail or on an anaesthesia machine. We will always provide you with the adapter you need.



Adapter for anaesthesia machine (all suppliers) H 80 mm, with existing side rail



Clamp for a vertical standard rail For mounting on standard rail 10 x 25 mm



Product highlights:

Height adjustable arms offer full cable integration and easy cleaning for infection control in all critical care areas of the clinical environment. Our 5-year warranty ensures reliable, trouble-free and maintenance-free operation. The swivel function at the point of attachment as well as the tilt and swivel function of the monitor adaptation offer optimal positioning of your device. The height-adjustable arm in its extended version is a two-part arm with a central pivot point between the two arm sections. All bottom mounted monitors have the safety feature of a 20° tilt stop.



Considered to be the world's best in advanced hygiene control, our medical mounting systems include cable integration, a 5-year maintenance-free warranty and medical grade compliance. We're simply the best in the world at what we do.







Compatible accessories for this mount

Medical Combo arm Foldable and adjustable in height by 2 x 300 mm, wall mounting on vertical sliding rail. Supported weight of balance scale from 1,5 to 4,5 Kg

Compatible accessories for this arm

You can complete your installation with these additional accessories:



Triple hook for cable For mounting on support arm



Double hook for cable For mounting on support arm



Downward pole with cable hook For mounting on support arm





Double handle with VESA mounting For VESA monitors



Handle for VESA monitor support For VESA monitors

Basket

For wall or column rail

mounting



Double hook for cable For mounting on a wall or column rail




For mounting on support



Triple hook for cable For wall or column rail mounting









Technical drawing

Medical Combo arm Foldable and adjustable in height by 2×300 mm, wall mounting on vertical sliding rail. Supported weight of balance scale from 1,5 to 4,5 Kg

