




Presentation Part Number: WM 260.145X

Height-adjustable medical arm, length 450 mm, for monitoring Philips Intellivue MP2/X2/X3 Séries, Horizontal Din rail mounting. Supported weight balancing range from 0 to 3,5 Kg. mounting without power cable hook





Height-adjustable medical arm, length 450 mm, for monitoring Philips Intellivue MP2/X2/X3 Séries, Horizontal Din rail mounting. Supported weight balancing range from 0 to 3,5 Kg. mounting without power cable hook

Full cable integration and infection prevention thanks to easy-to-clean surfaces make this arm ideal for emergency care areas. Height adjustment for ergonomic, customised positioning of the monitor. This 450 mm Horizontal Medical Arm with gas-lift height adjustment enables the monitor to be fixed, oriented and adjusted perfectly. It is coated with an anti-microbial agent for hygiene and cleaning down to the smallest detail. Its modern design has been specially developed for healthcare environments.

## **Technical specifications:**

- \* Integral cable entry \* Equipotential bonding \* This 450 mm Horizontal Arm with gas spring simply adjusts to the desired height and is fixed. It has a safety stop button for height adjustment, allowing the arm to remain in the chosen position.
- \* The head of this arm is compatible with Philips Intellivue MP2/X2/X3 Series.
- \* Suitable for monitors weighing up to 0-3,5 Kg.
- \* Monitor tilt: 30° down and 20° up
- \* Monitor rotation: 135° right, 180° left. \* Arm rotation: 90° right, 90° left
- \* Height adjustment: 438 mm \* Total length: 578 mm
- \* All our medical arms comply with CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC. \* Colour: RAL 5013 cobalt blue and RAL 9016 traffic white
- \* Warranty: 5 years








Part Number: WM 260.145X


## **Technical specifications**

Height-adjustable medical arm, length 450 mm, for monitoring Philips Intellivue MP2/X2/X3 Séries, Horizontal Din rail mounting. Supported weight balancing range from 0 to 3,5 Kg. mounting without power cable hook









Monitor adaptation: Philips Intellivue MP2/X2/X3 Series

Height adjustment: Slow-release spring, parallel adapter for constant viewing angle

**Colour:** Decorative parts: RAL 5013 cobalt blue **Aluminium parts:** RAL 9016 traffic white

Max. load capacity: 22 kg

Monitor adaptation max. load: 18 Kg

Balance scale on this medical arm: 0 - 3,5 Kg

Product weight: 3.5 Kg

Safety: Has a safety stop button for height adjustment, which allows the medical arm to

remain in the chosen position.

Compatibility: Monitoring Philips Intellivue MP2/X2/X3 Series








Presentation Part Number: WM 260.145X

Height-adjustable medical arm, length 450 mm, for monitoring Philips Intellivue MP2/X2/X3 Séries, Horizontal Din rail mounting. Supported weight balancing range from 0 to 3,5 Kg. mounting without power cable hook

















Part Number: WM 260.145X

## Installation information - Din Rail Horizontal

Height-adjustable medical arm, length 450 mm, for monitoring Philips Intellivue MP2/X2/X3 Séries, Horizontal Din rail mounting. Supported weight balancing range from 0 to 3,5 Kg. mounting without power cable hook

## Din Rail Horizontal:

Fixed standard rail clamp For mounting on horizontal standard rail 10 x 25, 8 x 35, 10 x 30,  $10 \times 50 \text{ mm}$ 














Presentation Part Number: WM 260.145X

Height-adjustable medical arm, length 450 mm, for monitoring Philips Intellivue MP2/X2/X3 Séries, Horizontal Din rail mounting. Supported weight balancing range from 0 to 3,5 Kg. mounting without power cable hook





Adaptation monitoring Philips Intellivue MP2 / X2 / X3 series

All our medical arms can be fitted with this adaptation, some illustrations of which can be found here.









